

HOMOTOPY GROUPS OF SUSPENDED CLASSIFYING SPACES: AN EXPERIMENTAL APPROACH

ANA ROMERO AND JULIO RUBIO

ABSTRACT. When the results of a computer program are confronted to some theorems proved on a theoretical basis three situations can occur: there can be an agreement between both approaches, the computer program can obtain calculations not covered by the theorems, or a discrepancy can be found between both methods. In this note we report on a work where the three above mentioned situations happen. We have enhanced the Computer Algebra called Kenzo to deal with the computation of homotopy groups of suspended classifying spaces, a problem tackled by Mikhailov and Wu in a paper published in the journal *Algebraic and Geometric Topology*. Our experimental approach, based on completely different methods from those by Mikhailov and Wu, has allowed us in particular to detect an error in one of their published theorems.

1. MOTIVATION AND STATEMENT OF THE PROBLEM

It is well-known that the suspension functor Σ applied to a topological space X shifts its homology groups, that is to say, $H_n(\Sigma X) \cong H_{n-1}(X)$. However, in the case of homotopy groups the situation is not so favorable and in general there is not a direct relation between $\pi_*(\Sigma X)$ and $\pi_*(X)$. Let us consider for instance a circle S^1 , whose homotopy type is very simple. The homology groups of the suspension $\Sigma S^1 = S^2$ are obvious but the problem of computing the homotopy groups of S^2 is a difficult problem in Algebraic Topology.

Given a group G , its classifying space, that is to say, the Eilenberg-MacLane space $K(G, 1)$ [10], has trivial homotopy groups: $\pi_1(K(G, 1)) \cong G$ and $\pi_n(K(G, 1)) = 0$ for each $n \neq 1$. But when applying the suspension functor Σ , the new homotopy groups $\pi_*(\Sigma K(G, 1))$ are in general unknown. In [11], several groups $\pi_n(\Sigma K(G, 1))$ are obtained for some particular cases of G and n , making use of different results and techniques from group theory and homotopy theory. More concretely, the main results of the article by Mikhailov and Wu are descriptions of the groups $\pi_4(\Sigma K(A, 1))$ and $\pi_5(\Sigma K(A, 1))$ when A is any finitely generated Abelian group; as applications, they also determine $\pi_n(\Sigma K(G, 1))$ with $n = 4$ and 5 for some non-Abelian groups, as $G = \Sigma_3$ the 3-th symmetric group and $G = SL(\mathbb{Z})$ the standard linear group, and $\pi_4(\Sigma K(A_4, 1))$ for A_4 the 4-th alternating group.

The goal of this work consists in trying to obtain a computer program calculating $\pi_*(\Sigma K(G, 1))$ for a *general* group G , which will allow one to obtain as particular computations some theoretical results of [11]. To this aim, we have developed

2010 *Mathematics Subject Classification*. 68W05,55-04,55Q99.

Partially supported by Ministerio de Ciencia e Innovación, Spain, project MTM2009-13842-C02-01.

some algorithms implemented in the Computer Algebra system Kenzo [4]. Thanks to our programs, groups $\pi_4(\Sigma K(A, 1))$ and $\pi_5(\Sigma K(A, 1))$ have been computed for several finitely generated Abelian groups A , reproducing the same results obtained in [11]. We have also *experimentally* determined some new groups $\pi_6(\Sigma K(A, 1))$ (which do not appear in [11]) and $\pi_n(\Sigma K(G, 1))$ for other non-Abelian groups G not considered in that article. Moreover, our experiments have made it possible to detect an error in Mikhailov and Wu's paper. The authors state in Theorem 5.4:

Let A_4 be the 4-th alternating group. Then $\pi_4(\Sigma K(A_4, 1)) = \mathbb{Z}_4$ ¹

Our programs produce a different result, namely $\pi_4(\Sigma K(A_4, 1)) = \mathbb{Z}_{12}$. The authors of the paper inadvertently forgot the 3-primary component, as they have admitted in a private communication.

The paper is organized as follows. After this brief introduction to our problem, in Section 2 we explain the method we have followed in order to determine in a computational way the homotopy groups of suspended classifying spaces. This method is based on the *effective homology* technique and is implemented in the Kenzo system. Section 3 presents some examples of our computations and a table with our final results. The paper ends with a section of conclusions and further work.

2. THE METHOD: EFFECTIVE HOMOLOGY AND THE KENZO SYSTEM

The Kenzo system [4], developed by Francis Sergeraert and some co-workers, is a Common Lisp program devoted to Symbolic Computation in Algebraic Topology. In particular, it makes it possible to determine homology and homotopy groups of complicated spaces and has obtained some results (for example homology groups of iterated loop spaces of a loop space modified by a cell attachment, components of complex Postnikov towers, etc.) which were not known before. One of the important characteristics of Kenzo is that it can deal with topological spaces of infinite nature, which are encoded using functional programming; homology and homotopy groups of these spaces are then computed by means of the *effective homology* method, introduced in [18] and deeply explained in [15].

The effective homology method is based on the following idea: on the one hand, if a topological space X has finite nature, then its homology groups can be determined by means of an elementary algorithm based on some matrix operations. On the other hand, if X has infinite dimension, then Kenzo should be able to find a homotopy equivalence between a chain complex canonically associated with X , $C_*(X)$, and an *effective* (finite type) chain complex E_* ; this equivalence is denoted $C_*(X) \iff E_*$ and we say then that X has *effective homology*. This particular homotopy equivalence (which must satisfy some special properties, see [15] for the formal definition) makes it possible to determine the homology groups of X by means of those of E_* in an *explicit* way: the equivalence provides not only a formal description of the groups but also their generators, which are important in order to make calculations inside the groups or use them in other constructions.

The difficult part of the process consists in obtaining the effective chain complex E_* and the desired equivalence $C_*(X) \iff E_*$ for a given topological space X . This is done thanks to the following general idea: given some topological spaces

¹In this paper an expression as \mathbb{Z}_4 will denote, as usual in Algebraic Topology, the finite Abelian group $\mathbb{Z}/4\mathbb{Z}$; the same group is denoted in Mikhailov and Wu's paper as $\mathbb{Z}/4$.




FIGURE 1. Communication between Kenzo and HAP

X_1, \dots, X_n , a topological constructor Φ produces a new topological space X . If effective homology versions of the spaces X_1, \dots, X_n are known (that is to say, one has equivalences $C_*(X_i) \iff E_i$ for each i where E_i is a finite type chain complex), then one should be able to build an effective homology version of the space X , and this version would allow us to compute the homology groups of X .

Given a group G , its classifying space is an Eilenberg-MacLane space $K(G, 1)$, which is a Kan simplicial set satisfying $\pi_1(K(G, 1)) \cong G$ and $\pi_n(K(G, 1)) = 0$ for $n \neq 1$, and its homology groups are by definition the homology groups of G . From the definition of simplicial classifying space in [10], one can observe that the standard Eilenberg-MacLane space satisfies $K(G, 1)_n = G^n$ for $n > 1$. In particular, if $G = \mathbb{Z}$ (or any group with an infinite number of elements), then the space $K(G, 1)$ is infinite and one cannot directly compute its homology groups. If the group G is finite then $K(G, 1)$ is finitely generated in each dimension, but the number of generators is very large and in most cases complexity problems prevent the actual computation of $H_*(K(G, 1))$, even in low degrees.

Eilenberg-MacLane spaces have been implemented in Kenzo (using functional programming), and can be constructed by means of a function which inputs a group G and returns a simplicial model of the space $K(G, 1)$. In order to compute its homology groups, we have developed an algorithm determining the effective homology of $K(G, 1)$ from a resolution [2] of the group G , supposing that the resolution has finite dimension in each degree. This algorithm is completely described in [12]. For some groups (for instance, cyclic groups \mathbb{Z}_n), the needed resolution is directly implemented in the Kenzo system; in other cases, the resolution is obtained from the GAP Computer Algebra program [17] thanks to the HAP package [5], which was developed by Graham Ellis and is devoted to computing homology of groups. After determining the finite resolution by using HAP, it is translated into Kenzo by means of an OpenMath processor, as described in Figure 1. Once the resolution is installed in Kenzo, our algorithm is applied to compute the effective homology of $K(G, 1)$, that is, an equivalence between $C_*(K(G, 1))$ and an effective chain complex E_* . See [12] for details on the complete process.

Once we have the space $K(G, 1)$ in Kenzo with its effective homology, one can determine its homology groups as explained before. Moreover, we can use this

space inside other constructions in Algebraic Topology producing new spaces with effective homology, allowing the computation for example of homology groups of 2-types and central extensions, as presented in [13]. One can also apply the suspension functor, obtaining a new simplicial set $\Sigma K(G, 1)$; since an effective homology version of Σ is implemented in Kenzo, the suspended classifying space $\Sigma K(G, 1)$ is again an object with effective homology. Therefore, if G is a group and we have a finite resolution for it (directly constructed or obtained by means of HAP), the homology groups of $\Sigma K(G, 1)$ can be determined.

Although the process is not so direct as for homology groups, Kenzo is also able to determine the homotopy groups of a simplicial set with effective homology, and in particular it can compute the desired $\pi_*(\Sigma K(G, 1))$ (whenever we have a finite resolution of the group G). The technique used by Kenzo for computing homotopy groups is based on the Whitehead tower method, and is described in the documentation of the program [4].

In the following section we present some examples of calculations of homotopy groups of suspended classifying spaces $\Sigma K(G, 1)$ and a table with our final results.

3. COMPUTATIONS AND RESULTS

Let us consider for example $G = \mathbb{Z}_5$, the cyclic group with 5 elements. It is built in Kenzo with the following instruction:

```
> (setf z5 (cyclicgroup 5))
[K1 Abelian-Group]
```

The result is an Abelian group, stored in the variable `z5`. The Eilenberg-MacLane space $K(\mathbb{Z}_5, 1)$ is constructed by means of the function `k-g-1`, and is an Abelian simplicial group:

```
> (setf k-z5-1 (k-g-1 z5))
[K2 Abelian-Simplicial-Group]
```

The effective homology of $K(\mathbb{Z}_5, 1)$ is directly built by our programs making use of a well-known finite resolution of the group \mathbb{Z}_5 (see [2] for details), that we have implemented in Kenzo. The effective homology of an object is stored in the slot `efhm` and can be obtained as follows:

```
> (efhm k-z5-1)
[K50 Homotopy-Equivalence K2 <= K40 => K31]
```

It is an equivalence between `K2`, that is, the space $K(\mathbb{Z}_5, 1)$, and an effective chain complex `K31`; the effective homology of $K(\mathbb{Z}_5, 1)$ makes it possible to determine its homology groups:

```
> (homology k-z5-1 5)
Homology in dimension 5 :
Component Z/5Z
---done---
```

This is the well-known result [2] $H_5(K(\mathbb{Z}_5, 1)) \cong H_5(\mathbb{Z}_5) = \mathbb{Z}_5$.

We apply now the suspension functor Σ to build the suspended classifying space $\Sigma K(\mathbb{Z}_5, 1)$:

```
> (setf s-k-z5-1 (suspension k-z5-1))
[K51 Simplicial-Set]
```

This is again an object with effective homology:

	π_2	π_3	π_4	π_5	π_6
$\Sigma K(\mathbb{Z}, 1) \simeq S^2$	\mathbb{Z}	\mathbb{Z}	\mathbb{Z}_2	\mathbb{Z}_2	\mathbb{Z}_{12}
$\Sigma K(\mathbb{Z}_2, 1)$	\mathbb{Z}_2	\mathbb{Z}_2	\mathbb{Z}_4	$\mathbb{Z}_2^{\oplus 2}$	$\mathbb{Z}_2^{\oplus 2}$
$\Sigma K(\mathbb{Z}_3, 1)$	\mathbb{Z}_3	\mathbb{Z}_3	\mathbb{Z}_3	$\mathbb{Z}_3^{\oplus 2}$	$\mathbb{Z}_3^{\oplus 5}$
$\Sigma K(\mathbb{Z}_4, 1)$	\mathbb{Z}_4	\mathbb{Z}_4	$\mathbb{Z}_2 \oplus \mathbb{Z}_4$	$\mathbb{Z}_2 \oplus \mathbb{Z}_4^{\oplus 2}$	
$\Sigma K(\mathbb{Z}_2 \oplus \mathbb{Z}_2, 1)$	$\mathbb{Z}_2^{\oplus 2}$	$\mathbb{Z}_2^{\oplus 4}$	$\mathbb{Z}_2^{\oplus 4} \oplus \mathbb{Z}_4^{\oplus 4}$		
$\Sigma K(\mathbb{Z}_5, 1)$	\mathbb{Z}_5	\mathbb{Z}_5	\mathbb{Z}_5	$\mathbb{Z}_5^{\oplus 2}$	
$\Sigma K(\mathbb{Z}_6, 1)$	\mathbb{Z}_6	\mathbb{Z}_6	\mathbb{Z}_{12}	$\mathbb{Z}_6^{\oplus 2}$	
$\Sigma K(\mathbb{Z}_7, 1)$	\mathbb{Z}_7	\mathbb{Z}_7	\mathbb{Z}_7	$\mathbb{Z}_7^{\oplus 2}$	
$\Sigma K(\mathbb{Z}_8, 1)$	\mathbb{Z}_8	\mathbb{Z}_8	$\mathbb{Z}_2 \oplus \mathbb{Z}_8$	$\mathbb{Z}_2 \oplus \mathbb{Z}_8^{\oplus 2}$	
$\Sigma K(\mathbb{Z}_9, 1)$	\mathbb{Z}_9	\mathbb{Z}_9	\mathbb{Z}_9	$\mathbb{Z}_9^{\oplus 2}$	
$\Sigma K(\mathbb{Z}_3 \oplus \mathbb{Z}_3, 1)$	$\mathbb{Z}_3^{\oplus 2}$	$\mathbb{Z}_3^{\oplus 4}$	$\mathbb{Z}_3^{\oplus 8}$		
$\Sigma K(\Sigma_3, 1)$	\mathbb{Z}_2	\mathbb{Z}_2	\mathbb{Z}_{12}	$\mathbb{Z}_2^{\oplus 2}$	
$\Sigma K(\Sigma_4, 1)$	\mathbb{Z}_2	$\mathbb{Z}_2^{\oplus 2}$	$\mathbb{Z}_2 \oplus \mathbb{Z}_4 \oplus \mathbb{Z}_8 \oplus \mathbb{Z}_3$		
$\Sigma K(A_4, 1)$	\mathbb{Z}_3	\mathbb{Z}_6	\mathbb{Z}_{12}		

TABLE 1

OpenMath processor. See Figure 1 and [12] for the details of this communication. Once the resolutions are installed in Kenzo, the process for computing the homotopy groups of the desired $\Sigma K(G, 1)$ is exactly the same as the construction of $\pi_5(\Sigma K(\mathbb{Z}_5, 1))$.

The Kenzo program can be downloaded and installed from [4], and works under different Lisp environments. Our new programs computing the effective homology of spaces $K(G, 1)$ (and also the GAP code producing the OpenMath representation of a resolution) can be obtained in www.unirioja.es/cu/anromero/research2.html. Jónathan Heras' homotopy function can be reached in the "Other documents" link in Heras' web page at <http://www.unirioja.es/cu/joheras>. Finally, in <http://www.unirioja.es/cu/anromero/suspended-classifying-spaces-examples.c1> we have included a file with several examples of calculations.

Some results obtained by our programs are showed in Table 3. Let us emphasize that the groups $\pi_4(\Sigma K(G, 1))$ and $\pi_5(\Sigma K(G, 1))$ in the first twelve rows are the same as those obtained in [11]. The results $\pi_6(\Sigma K(\mathbb{Z}_2, 1)) = \mathbb{Z}_2^{\oplus 2} = \mathbb{Z}_2 \oplus \mathbb{Z}_2$ and $\pi_6(\Sigma K(\mathbb{Z}_3, 1)) = \mathbb{Z}_3^{\oplus 5} = \mathbb{Z}_3 \oplus \mathbb{Z}_3 \oplus \mathbb{Z}_3 \oplus \mathbb{Z}_3 \oplus \mathbb{Z}_3$ are *new*; they do not appear in the previous article and, up to our knowledge, in any other reference. The symmetric group Σ_4 was not considered in [11], so that the homotopy groups of $\Sigma K(\Sigma_4, 1)$ were not known. Finally, let us remark that the result $\pi_4(\Sigma K(A_4, 1)) = \mathbb{Z}_{12}$ does not coincide with the group determined by Mikhailov and Wu: they assert in Theorem 5.4 that $\pi_4(\Sigma K(A_4, 1)) = \mathbb{Z}_4$, but our experimental approach has made it possible to detect an error in their proof: as they have admitted, they had forgotten the 3-th primary component.

4. CONCLUSIONS AND FURTHER WORK

In this paper we have illustrated how a computer-based experimental approach can be useful even in sophisticated mathematical domains, as advanced Algebraic Topology. In particular we have computed, by using the Kenzo system, some homotopy groups of suspended classifying spaces. Since most of our results coincide

with those presented at [11], it can be considered a good testing suite (for *both* our programs *and* the theoretical results). Nevertheless, when a discrepancy occurs, as in the computation of $\pi_4(\Sigma K(A_4, 1))$, a challenge is presented to the software engineer: are the programs correct? Even if in this case it was easily checked that the *bug* was in the theoretical side (in fact, it can be considered a *forgetting* in the transcription of the group rather than an actual *error*), the problem of the reliability of the software is a difficult one. Let us stress that even if the *algorithms* to compute homotopy groups by means of the effective homology method have been proved correct, in a traditional way, in several papers (as [18], for example), this is not the same for the *programs* implementing those algorithms. To increase the trusting in our experimental results, formal methods are being used for the analysis of our algorithms and programs (see, for instance, some works which use respectively the proving assistants Isabelle and Coq in [1] and [3]).

With respect to future improvements of our tools two big lines are open: efficiency and scope. The results presented in Table 3 show the computational limits of our programs. For instance, the computation of $\pi_6(\Sigma K(\mathbb{Z}_3, 1))$ needed 28 hours of CPU time on an Intel Xeon E5420 computing server with 2.50GHz. Other groups (as the symmetric group Σ_3) needed too many resources, exhausting the memoir capabilities of the server (with 8Gb of RAM). Let us point out that several algorithms of *exponential* nature are present in our calculations, and therefore one cannot expect a quick computation of homotopy groups. But, on the other way around, that means that many improvements are possible in the implementation techniques to gain, let us say, one or two dimensions in a theoretically important group. One of the most hopeful approaches is that based on Discrete Morse Theory [7] which could be systematically used in effective homology (see some first contributions at [14]).

As for the scope of our programs, the most outstanding case covered by [11] and not by our methods, is that of the special linear group $SL(\mathbb{Z})$: since we (and HAP) do not know a finite resolution for this group, we cannot apply our algorithms computing the homotopy groups of $\Sigma K(SL(\mathbb{Z}), 1)$. It is in fact a difficult and well-known problem which connects the homotopy groups of suspended classifying spaces with the determination of K-theory groups (for instance, Mikhailov and Wu claim that $\pi_3(\Sigma K(SL(\mathbb{Z}), 1)) \cong K_2(\mathbb{Z})$ and $\pi_4(\Sigma K(SL(\mathbb{Z}), 1)) \cong K_3(\mathbb{Z})$). Our idea is to approximate the effective homology of $SL(\mathbb{Z})$ by means of that of the groups $SL_n(\mathbb{Z})$. Up to now, Jónathan Heras has been capable of determining, using Kenzo, the first homotopy groups of $\Sigma K(SL_2(\mathbb{Z}), 1)$ [8]. We are now working in the determination of a finite resolution for $SL_3(\mathbb{Z})$, necessary to construct the effective homology of $K(SL_3(\mathbb{Z}), 1)$. To this aim, we are trying to follow the method explained in [6] and the classical approach to the cohomology of $SL_3(\mathbb{Z})$ presented in [19] (and more concretely the detailed presentation given in [16]).

5. ACKNOWLEDGEMENTS

Thanks are due to Graham Ellis, who told us about the results of [11] and proposed us to try to compute homotopy groups of suspended classifying spaces by means of Kenzo.

REFERENCES

1. J. Aransay, C. Ballarin, and J. Rubio, *A Mechanized Proof of the Basic Perturbation Lemma*, Journal of Automated Reasoning **40** (2008), no. 4, 271–292.
2. K. S. Brown, *Cohomology of groups*, Springer-Verlag, 1982.
3. C. Domínguez and J. Rubio, *Effective homology of bicomplexes, formalized in Coq*, Theoretical Computer Science **412** (2011), no. 11, 962–970.
4. X. Dousson, J. Rubio, F. Sergeraert, and Y. Siret, *The Kenzo program*, Institut Fourier, Grenoble, 1999, <http://www-fourier.ujf-grenoble.fr/~sergerar/Kenzo/>.
5. G. Ellis, *HAP – Homological Algebra Programming, a package for the GAP system*, 2006, <http://www.gap-system.org/Packages/hap.html>.
6. G. Ellis, J. Harris, and E. Sköldberg, *Polytopal resolutions for finite groups*, J. Reine Angew. Math **598** (2006), 131–137.
7. R. Forman, *Morse theory for cell complexes*, Advances in Mathematics **134** (1998), 90–145.
8. J. Heras, *Mathematical knowledge management in algebraic topology*, Ph.D. thesis, Universidad de La Rioja, 2011, <http://www.unirioja.es/cu/joheras/Thesis/>.
9. J. Heras, V. Pascual, J. Rubio, and F. Sergeraert, *fKenzo: a user interface for computations in Algebraic Topology*, Journal of Symbolic Computation **46** (2011), no. 6, 685–698.
10. J. P. May, *Simplicial objects in Algebraic Topology*, Van Nostrand Mathematical Studies, University of Chicago Press, 1967.
11. R. Mikhailov and J. Wu, *On homotopy groups of the suspended classifying spaces*, Algebraic and Geometric Topology **10** (2010), 565–625.
12. A. Romero, G. Ellis, and J. Rubio, *Interoperating between computer algebra systems: computing homology of groups with Kenzo and GAP*, International Symposium on Symbolic and Algebraic Computation, ISSAC 2009, ACM, 2009, pp. 303–310.
13. A. Romero and J. Rubio, *Computing the homology of groups: the geometric way*, Preprint. <http://arxiv.org/abs/1107.3396>, 2011.
14. A. Romero and F. Sergeraert, *Discrete Vector Fields and fundamental Algebraic Topology*, Preprint. <http://arxiv.org/abs/1005.5685v1>, 2010.
15. J. Rubio and F. Sergeraert, *Constructive Homological Algebra and Applications, Lecture Notes Summer School on Mathematics, Algorithms, and Proofs*, University of Genova, 2006, <http://www-fourier.ujf-grenoble.fr/~sergerar/Papers/Genova-Lecture-Notes.pdf>.
16. R. Sánchez-García, *Equivariant K-homology of the classifying space for proper actions*, Ph.D. thesis, University of Southampton, 2005, <http://www.math.uni-duesseldorf.de/~sanchez/thesis.pdf>.
17. M. Schönert et al., *GAP – Groups, Algorithms, and Programming, Version 4.4.12*, 2008, <http://www.gap-system.org>.
18. F. Sergeraert, *The computability problem in Algebraic Topology*, Advances in Mathematics **104** (1994), no. 1, 1–29.
19. C. Soulé, *The cohomology of $SL_3(\mathbb{Z})$* , Topology **17** (1978), 1–22.

DEPARTAMENTO DE MATEMÁTICAS Y COMPUTACIÓN, UNIVERSIDAD DE LA RIOJA, EDIFICIO VIVES, C/ LUIS DE ULLOA S/N, 26004 LOGROÑO, SPAIN
E-mail address: ana.romero@unirioja.es

DEPARTAMENTO DE MATEMÁTICAS Y COMPUTACIÓN, UNIVERSIDAD DE LA RIOJA, EDIFICIO VIVES, C/ LUIS DE ULLOA S/N, 26004 LOGROÑO, SPAIN
E-mail address: julio.rubio@unirioja.es